

Jason K. Lowry, MD FAAOS

**FL2145921
T0188705**

www.jasonlowrymd.com
www.arlingtonortho.com

DATE:



**ARLINGTON ORTHOPEDIC
ASSOCIATES, P.A.**

LIFE IN FULL MOTION

Arlington Orthopedic Associates

800 Orthopedic Way
Arlington, TX 76015
p: (817) 375-5200
f: (817) 299-1789

2801 East Broad St
Mansfield, TX 76063

2001 N. MacArthur Blvd
Ste 630
Irving, TX 75061

Dr. Lowry's Post-Op Instructions **Left/Right Carpal Tunnel Release**

1. Do not remove your splint/dressings until I see you in clinic.
2. Keep your hand elevated at or, preferably, above heart level. This will dramatically help to decrease the expected swelling in your fingers/hand/arm. Remember: you can't elevate your hand too much & gravity is your enemy.
3. Apply two properly sealed ice packs to your hand/arm for 72 hours after your surgery. Large zip lock bags or small plastic trash bags work the best. Place one under & the other on top of the area. The key is to not get your splint/dressings wet. If you do, please call our clinic immediately.
4. Keep your splint covered with a plastic trash bag during showers. Again, do whatever it takes to not get your splint/dressings wet.
5. I encourage you to move your fingers as much as you can tolerate. This will help to decrease stiffness & swelling. A soft, squeeze ball is a very effective tool for this.
6. Please make a follow-up appointment for 10-14 days after surgery.

If you have any other questions or concerns please call my clinic.

Sincerely,

Dr. Jason K. Lowry, MD FAAOS, 1